



ADAPTERS



MALE	FEMALE	CODE(RIGHT)
1 3/8"Z6	1 3/8"Z6	1.170.51
1 3/8"Z6	1 3/4"Z6	1.170.52
1 3/8"Z6	1 3/8"21	1.170.53
1 3/8"Z6	1 3/4"Z20	1.170.54
1 3/8"Z6	8X32X38	1.170.55
1 3/8"Z6	Ø25	1.170.8Q25
1 3/8"Z6	Ø30	1.170.8Q30
1 3/8"Z6	Ø35	1.170.8Q35
1 3/8"Z6	Ø40	1.170.8Q40

OVERRUNNING ADAPTERS



SERIE	MALE	FEMALE	TORQUE (Nm)	CODE(RIGHT)	CODE(LEFT)
1C	1 3/8"Z6	1 3/8"Z6	2400	1C.31.1	1SC.31.1
1C	1 3/8"Z6	1 3/8"Z21	2400	1C.33.1	1SC.33.1
1C	1 3/8"Z6	8X32X38	2400	1C.35.1	1SC.35.1
02C	1 3/8"Z6	1 3/8"Z6	3000	02C.31.1	02SC.31.1
02C	1 3/8"Z6	1 3/8"Z21	3000	02C.33.1	02SC.33.1
02C	1 3/8"Z6	8X32X38	3000	02C.35.1	02SC.35.1
2C	1 3/8"Z6	1 3/8"Z6	3800	2C.31.1	2SC.21.1
2C	1 3/8"Z6	1 3/4"Z6	3800	2C.32.1	2SC.32.1
2C	1 3/8"Z6	1 3/8"Z21	3800	2C.33.1	2SC.33.1
2C	1 3/8"Z6	1 3/4"Z20	3800	2C.34.1	2SC.34.1
2C	1 3/8"Z6	8X32X38	3800	2C.35.1	2SC.35.1

RATCHET TORQUE LIMITER ADAPTERS



SERIE	MALE	FEMALE	TORQUE (Nm)	CODE
10	1 3/8"Z6	1 3/8"Z6	300	10.31.1
10	1 3/8"Z6	1 3/8"Z21	300	10.33.1
10	1 3/8"Z6	8X32X38	300	10.35.1
20	1 3/8"Z6	1 3/8"Z6	600	20.31.1
20	1 3/8"Z6	1 3/8"Z21	600	20.33.1
20	1 3/8"Z6	8X32X38	600	20.35.1
30	1 3/8"Z6	1 3/8"Z6	900	30.31.1
30	1 3/8"Z6	1 3/8"Z21	900	30.33.1
30	1 3/8"Z6	8X32X38	900	30.35.1
40	1 3/8"Z6	1 3/8"Z6	1200	40.31.1
40	1 3/8"Z6	1 3/8"Z21	1200	40.33.1
40	1 3/8"Z6	8X32X38	1200	40.35.1
50	1 3/8"Z6	1 3/8"Z6	1500	50.31.1
50	1 3/8"Z6	1 3/8"Z21	1500	50.33.1
50	1 3/8"Z6	8X32X38	1500	50.35.1

FRICITION LIMITER ADAPTERS



SERIE	MALE	FEMALE	DIAMETER	TORQUE(Nm)	CODE
2B0	1 3/8"Z6	1 3/8"Z6	Ø150	650	2B0.11.1
2B0	1 3/8"Z6	1 3/8"Z21	Ø150	650	2B0.13.1
2B0	1 3/8"Z6	8X32X38	Ø150	650	2B0.15.1



SERIE	MALE	FEMALE	DIAMETER	TORQUE(Nm)	CODE
2B1	1 3/8"Z6	1 3/8"Z6	Ø180	900	2B1.51.1
2B1	1 3/8"Z6	1 3/8"Z21	Ø180	900	2B1.53.1
2B1	1 3/8"Z6	8X32X38	Ø180	900	2B1.55.1
4B1	1 3/8"Z6	1 3/8"Z6	Ø180	1200	4B1.51.1
4B1	1 3/8"Z6	1 3/4"Z6	Ø180	1200	4B1.53.1
4B1	1 3/8"Z6	1 3/8"Z21	Ø180	1200	4B1.55.1



FRICITION LIMITER ADAPTERS



SERIE	MALE	FEMALE	DIAMETER	TORQUE(Nm)	CODE
2B	1 3/8"Z6	1 3/8"Z6	Ø200	1200	2B.51.1
2B	1 3/8"Z6	1 3/4"Z4	Ø200	1200	2B.52.1
2B	1 3/8"Z6	1 3/8"Z21	Ø200	1200	2B.53.1
2B	1 3/8"Z6	1 3/4"Z20	Ø200	1200	2B.54.1
2B	1 3/8"Z6	8X32X38	Ø200	1200	2B.55.1
4B	1 3/8"Z6	1 3/8"Z6	Ø200	2400	4B.51.1
4B	1 3/8"Z6	1 3/4"Z6	Ø200	2400	4B.52.1
4B	1 3/8"Z6	1 3/8"Z21	Ø200	2400	4B.53.1
4B	1 3/8"Z6	1 3/4"Z20	Ø200	2400	4B.54.1
4B	1 3/8"Z6	8X32X38	Ø200	2400	4B.55.1

FLYWHEEL FRICTION & OVERRUNNING ADAPTER



DIAMETER	TORQUE(Nm)	CODE
Ø200	900	FW21